

**Saltstone Production and Disposal Facility
Website Data - Third Quarter, Calendar Year 2012**

**Consent Order of Dismissal, Section III.7
Z-Area Saltstone Disposal Facility Permit
General Condition B.5.a-h Information**

| Permit Condition | Requirement | Estimated Value | Updated Value | Comments |
|-------------------------|--|--|---|-----------------|
| B.5 a) | Cumulative process volume of salt waste disposed to date | Not Applicable | 6,719 kgals Vault 4, Cells B, D, E, F, H, J, K, L SDU 2, Cell 2B | |
| b) | Process volume of saltstone grout disposed and vault/disposal unit location (including cell identity) for the reporting period | Not Applicable | 7.9 x 10 ² kgals SDU 2, Cell 2B | |
| c) | Cumulative process volume of saltstone grout disposed to date | Not Applicable | 1.2 x 10 ⁴ kgals Vault 4, Cells B, D, E, F, H, J, K, L SDU 2, Cell 2B | |
| d) | Remaining vault/disposal unit volume | Not Applicable | 9.3 x 10 ² kgals Vault 4 3.7 x 10 ³ kgals SDU 2 | |
| e) | Curies disposed and vault/disposal unit location for the reporting period | 5 kCi SDU 2, Cell 2B | 5 kCi SDU 2, Cell 2B | |
| f) | Cumulative inventory of curies disposed to date | 395 kCi Vault 1 Cells A, B, C Vault 4, All Cells SDU 2, Cell 2B | 395 kCi Vault 1 Cells A, B, C Vault 4, All Cells SDU 2, Cell 2B | |
| g) | Curies of highly radioactive radionuclides disposed and vault/disposal unit location for the reporting period | 5 kCi SDU 2, Cell 2B | 5 kCi SDU 2, Cell 2B | |
| h) | Cumulative inventory of highly radioactive radionuclides disposed to date | 395 kCi Vault 1 Cells A, B, C Vault 4, All Cells SDU 2, Cell 2B | 395 kCi Vault 1 Cells A, B, C Vault 4, All Cells SDU 2, Cell 2B | |

Saltstone Production and Disposal Facility Website Data - Third Quarter, Calendar Year 2012

Consent Order of Dismissal, Section III.7 (1) Chemical and Radiological Composition of Salt Waste

| Chemical Name | Estimated Concentration (mg/L) | Updated Concentration (mg/L) |
|--|--------------------------------|------------------------------|
| Major Constituent | | |
| Water [H ₂ O] | 8.80E+05 | 8.80E+05 |
| Solvated Ions | | |
| Aluminate [Al(OH) ₄] | 1.07E+04 | 1.07E+04 |
| Carbonate [CO ₃ ²⁻] | 1.09E+04 | 1.09E+04 |
| Chloride [Cl] | 1.13E+02 | 1.13E+02 |
| Fluoride [F] | 1.00E+02 | 1.00E+02 |
| Hydroxide [OH] | 3.35E+04 | 3.35E+04 |
| Nitrate [NO ₃ ⁻] | 1.12E+05 | 1.12E+05 |
| Nitrite [NO ₂ ⁻] | 2.22E+04 | 2.22E+04 |
| Sulfate [SO ₄ ²⁻] | 3.77E+03 | 3.77E+03 |
| RCRA Hazardous Metals | | |
| Arsenic [As] | 9.36E-02 | 9.36E-02 |
| Barium [Ba] | 8.26E-01 | 8.26E-01 |
| Cadmium [Cd] | 1.13E+00 | 1.13E+00 |
| Chromium [Cr] | 4.09E+01 | 4.09E+01 |
| Lead [Pb] | 1.50E+01 | 1.85E-01 |
| Mercury [Hg] | 3.10E+01 | 3.10E+01 |
| Selenium [Se] | 1.87E-01 | 1.87E-01 |
| Silver [Ag] | 1.48E+00 | 1.48E+00 |
| Other Metals | | |
| Aluminum [Al] | 3.05E+03 | 3.05E+03 |
| Boron [B] | 7.79E+01 | 7.79E+01 |
| Cobalt [Co] | 1.02E-01 | 1.02E-01 |
| Copper [Cu] | 8.59E-01 | 8.59E-01 |
| Iron [Fe] | 1.47E+01 | 1.47E+01 |
| Lithium [Li] | 1.40E+01 | 1.40E+01 |
| Manganese [Mg] | 3.98E+00 | 3.98E+00 |
| Molybdenum [Mo] | 8.33E+00 | 8.33E+00 |
| Nickel [Ni] | 3.15E+00 | 3.15E+00 |
| Sodium [Na] | 1.12E+05 | 1.12E+05 |
| Strontium [Sr] | 1.28E-01 | 1.28E-01 |
| Zinc [Zn] | 6.71E+00 | 6.71E+00 |
| Organic Compounds | | |
| Tetraphenylborate [B(C ₆ H ₅) ₄ ⁻] | 5.00E+00 | 5.00E+00 |
| Total Organic Carbon | 7.08E+02 | 7.08E+02 |
| Total Insoluble Solids | | |
| Total Insoluble Solids | 0.00E+00 | 0.00E+00 |

Saltstone Production and Disposal Facility Website Data - Third Quarter, Calendar Year 2012

Consent Order of Dismissal, Section III.7 (1) Chemical and Radiological Composition of Salt Waste (continued)

| Radionuclide | Estimated Concentration (pCi/mL) | Updated Concentration (pCi/mL) |
|---|----------------------------------|--------------------------------|
| H-3 | 4.28E+02 | 4.28E+02 |
| C-14 | 4.60E+02 | 4.60E+02 |
| Co-60 | 4.16E-01 | 4.16E-01 |
| Ni-59 | 1.91E-01 | 1.91E-01 |
| Ni-63 | 9.55E+00 | 9.55E+00 |
| Se-79 | 1.83E+01 | 1.83E+01 |
| Sr-90 | 6.10E+03 | 6.10E+03 |
| Y-90 | 6.10E+03 | 6.10E+03 |
| Tc-99 | 2.73E+04 | 2.73E+04 |
| Ru-106 | 2.31E+00 | 2.31E+00 |
| Rh-106 | 2.31E+00 | 2.31E+00 |
| Sb-125 | 2.62E+02 | 2.62E+02 |
| Te-125m | 6.40E+01 | 6.40E+01 |
| I-129 | 1.09E+01 | 1.09E+01 |
| Cs-134 | 4.25E+01 | 4.25E+01 |
| Cs-137 | 1.60E+06 | 1.60E+06 |
| Ba-137m | 1.52E+06 | 1.52E+06 |
| Ce-144 | 2.27E+00 | 2.27E+00 |
| Pr-144 | 2.27E+00 | 2.27E+00 |
| Pm-147 | 4.02E+01 | 4.02E+01 |
| Eu-154 | 6.73E+00 | 6.73E+00 |
| Np-237 (α) ($t_{1/2}$) > 5 yr | 2.40E+01 | 2.40E+01 |
| Pu-238 (α) ($t_{1/2}$) > 5 yr | 1.25E+03 | 1.25E+03 |
| Pu-239 (α) ($t_{1/2}$) > 5 yr | 7.12E+01 | 7.12E+01 |
| Pu-240 (α) ($t_{1/2}$) > 5 yr | 7.12E+01 | 7.12E+01 |
| Pu-241 | 9.01E+00 | 4.50E+02 |
| Pu-242 (α) ($t_{1/2}$) > 5 yr | 1.30E+02 | 1.30E+02 |
| Am-241 (α) ($t_{1/2}$) > 5 yr | 1.75E+01 | 1.75E+01 |
| Am-242m | 8.74E-02 | 8.74E-02 |
| Cm-242 (α) | 7.17E-02 | 7.17E-02 |
| Cm-244 (α) ($t_{1/2}$) > 5 yr | 5.73E+01 | 5.73E+01 |
| Cm-245 (α) ($t_{1/2}$) > 5 yr | 3.56E-02 | 3.56E-02 |
| Total Transuranic Alpha Emitters with ($t_{1/2}$) > 5 years | 1.03E+03 | 1.03E+03 |

Saltstone Production and Disposal Facility Website Data - Third Quarter, Calendar Year 2012

Consent Order of Dismissal, Section III.7 (2) Formulation of Grout Used to Treat and Solidify the Salt Waste

The grout formulation is defined by the proportions of dry premix components (Type II Portland cement, Class F flyash, and Grade 120/100 slag) and the ratio of the water content in the salt waste to dry premix. Small quantities of admixtures are added as required for the purposes of set retardant and anti-foam. These have an insignificant effect on the overall grout composition (0.2 wt% of the overall grout composition).

The formulation used for the reporting period is shown below:

Saltstone Dry Premix Composition

| Component | Weight % |
|-------------------------|----------|
| Type II Portland cement | 10 |
| Class F flyash | 45 |
| Grade 120/100 slag | 45 |

Water to Premix Ratio (by weight) – 0.59

The water to premix ratio reflects the pounds of free water added to the process for each pound of dry premix fed to the saltstone mixer averaged for the quarter.

Utilizing this grout formulation leads to an overall grout composition as shown below:

Overall Grout Composition

(Due to rounding, numbers may not add to 100%)

| Component | Weight % |
|-------------------------|----------|
| Salt Waste | 45 |
| Type II Portland cement | 6 |
| Grade 120/100 slag | 25 |
| Class F flyash | 25 |

Saltstone Production and Disposal Facility Website Data - Third Quarter, Calendar Year 2012

Consent Order of Dismissal, Section III.7 (3) Chemical and Radiological Composition of Saltstone

| Chemical Name | Estimated Concentration (mg/L) | Updated Concentration (mg/L) |
|--|--------------------------------|------------------------------|
| Major Constituent | | |
| Water [H ₂ O] | 5.53E+05 | 5.53E+05 |
| Portland (II) Cement | 9.38E+04 | 9.38E+04 |
| Class F Flyash | 4.22E+05 | 4.22E+05 |
| Grade 100/120 Slag | 4.22E+05 | 4.22E+05 |
| Solvated Ions | | |
| Aluminate [Al(OH) ₄] | 6.75E+03 | 6.75E+03 |
| Carbonate [CO ₃ ²⁻] | 6.85E+03 | 6.85E+03 |
| Chloride [Cl] | 7.11E+01 | 7.11E+01 |
| Fluoride [F] | 6.29E+01 | 6.29E+01 |
| Hydroxide [OH] | 2.11E+04 | 2.11E+04 |
| Nitrate [NO ₃] | 7.04E+04 | 7.04E+04 |
| Nitrite [NO ₂] | 1.40E+04 | 1.40E+04 |
| Sulfate [SO ₄ ²⁻] | 2.37E+03 | 2.37E+03 |
| RCRA Hazardous Metals | | |
| Arsenic [As] | 5.89E-02 | 5.89E-02 |
| Barium [Ba] | 5.19E-01 | 5.19E-01 |
| Cadmium [Cd] | 7.11E-01 | 7.11E-01 |
| Chromium [Cr] | 2.57E+01 | 2.57E+01 |
| Lead [Pb] | 9.43E+00 | 1.16E-01 |
| Mercury [Hg] | 1.95E+01 | 1.95E+01 |
| Selenium [Se] | 1.18E-01 | 1.18E-01 |
| Silver [Ag] | 9.31E-01 | 9.31E-01 |
| Other Metals | | |
| Aluminum [Al] | 1.92E+03 | 1.92E+03 |
| Boron [B] | 4.90E+01 | 4.90E+01 |
| Cobalt [Co] | 6.41E-02 | 6.41E-02 |
| Copper [Cu] | 5.40E-01 | 5.40E-01 |
| Iron [Fe] | 9.24E+00 | 9.24E+00 |
| Lithium [Li] | 8.80E+00 | 8.80E+00 |
| Manganese [Mg] | 2.50E+00 | 2.50E+00 |
| Molybdenum [Mo] | 5.24E+00 | 5.24E+00 |
| Nickel [Ni] | 1.98E+00 | 1.98E+00 |
| Sodium [Na] | 7.01E+04 | 7.01E+04 |
| Strontium [Sr] | 8.05E-02 | 8.05E-02 |
| Zinc [Zn] | 4.22E+00 | 4.22E+00 |
| Organic Compounds | | |
| Tetraphenylborate [B(C ₆ H ₅) ₄ ⁻] | 3.14E+00 | 3.14E+00 |
| Total Organic Carbon | 4.45E+02 | 4.45E+02 |
| Total Insoluble Solids | | |
| Total Insoluble Solids | 0.00E+00 | 0.00E+00 |

**Saltstone Production and Disposal Facility
Website Data - Third Quarter, Calendar Year 2012**

**Consent Order of Dismissal, Section III.7 (3)
Chemical and Radiological Composition of Saltstone (continued)**

| Radionuclide | Estimated Concentration (pCi/mL) | Updated Concentration (pCi/mL) |
|---|-------------------------------------|--------------------------------------|
| H-3 | 2.69E+02 | 2.69E+02 |
| C-14 | 2.89E+02 | 2.89E+02 |
| Co-60 | 2.62E-01 | 2.62E-01 |
| Ni-59 | 1.20E-01 | 1.20E-01 |
| Ni-63 | 6.01E+00 | 6.01E+00 |
| Se-79 | 1.15E+01 | 1.15E+01 |
| Sr-90 | 3.84E+03 | 3.84E+03 |
| Y-90 | 3.84E+03 | 3.84E+03 |
| Tc-99 | 1.72E+04 | 1.72E+04 |
| Ru-106 | 1.45E+00 | 1.45E+00 |
| Rh-106 | 1.45E+00 | 1.45E+00 |
| Sb-125 | 1.65E+02 | 1.65E+02 |
| Te-125m | 4.02E+01 | 4.02E+01 |
| I-129 | 6.85E+00 | 6.85E+00 |
| Cs-134 | 2.67E+01 | 2.67E+01 |
| Cs-137 | 1.01E+06 | 1.01E+06 |
| Ba-137m | 9.56E+05 | 9.56E+05 |
| Ce-144 | 1.43E+00 | 1.43E+00 |
| Pr-144 | 1.43E+00 | 1.43E+00 |
| Pm-147 | 2.53E+01 | 2.53E+01 |
| Eu-154 | 4.23E+00 | 4.23E+00 |
| Np-237 (α) ($t_{1/2}$) > 5 yr | 1.51E+01 | 1.51E+01 |
| Pu-238 (α) ($t_{1/2}$) > 5 yr | 7.86E+02 | 7.86E+02 |
| Pu-239 (α) ($t_{1/2}$) > 5 yr | 4.48E+01 | 4.48E+01 |
| Pu-240 (α) ($t_{1/2}$) > 5 yr | 4.48E+01 | 4.48E+01 |
| Pu-241 | 5.67E+00 | 2.83E+02 |
| Pu-242 (α) ($t_{1/2}$) > 5 yr | 8.17E+01 | 8.17E+01 |
| Am-241 (α) ($t_{1/2}$) > 5 yr | 1.10E+01 | 1.10E+01 |
| Am-242m | 5.50E-02 | 5.50E-02 |
| Cm-242 (α) | 4.51E-02 | 4.51E-02 |
| Cm-244 (α) ($t_{1/2}$) > 5 yr | 3.60E+01 | 3.60E+01 |
| Cm-245 (α) ($t_{1/2}$) > 5 yr | 2.24E-02 | 2.24E-02 |
| Total Transuranic Alpha Emitters with ($t_{1/2}$) > 5 years | 6.48E+02 | 6.48E+02 |